



**NAME
COMPOSITION**

**FORM/STRENGTH/PACK
SIZE**

**THERAPEUTIC GROUP/
INDICATIONS**

**RECOMMENDED
DOSAGE**

1 DRUGS ACTING ON ALIMENTARY SYSTEM

1A GASTRO-INTESTINAL SEDATIVES / ANTISPASMODICS / H2 ANTAGONIST

RANISYNT

Ranitidine HCl

AMPOULES 50MG/2ML X5-X100

DUODENAL ULCER, BENIGN
GASTRIC ULCER, REFLUX
OESOPHAGITIS,
ZOLLINGER-ELLISON SYNDROME

AMPOULES: AS DIRECTED BY THE
PHYSICIAN

ULCEDINE

Famotidine

F.C. TABLETS 20MG X20-X100
F.C. TABLETS 40MG
X10-X20-X30-X60-X100

DUODENAL ULCER, BENIGN
GASTRIC ULCER,
ZOLLINGER-ELLISON SYNDROME

AS DIRECTED BY PHYSICIAN

1D ANTI-DIARRHOEALS

MIRATON

Loperamide HCl

TABLETS 2MG X10 (HOSPITAL)
CAPSULES 2MG X10 (HOSPITAL)

ANTIDIARRHOEAL
SYMPTOMATIC CONTROL OF
ACUTE AND CHRONIC
DIARRHOEA

ADULTS: 4MG
CHILDREN > 5 YEARS: 1 OR 2 MG AS
FIRST DOSE FOLLOWED BY 2MG AFTER
EACH LOOSE STOOL



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
2 DRUGS ACTING ON INFECTIONS			
2A ANTIBIOTICS/ANTIBACTERIAL			
AMIKA SYNTO <i>Amikacin Sulfate</i>	VIALS 250MG/2ML X10-X50-X100 VIALS 500MG/2ML X10-X50-X100 AMPOULES 250MG/2ML X10-X100 AMPOULES 500MG/2ML X10-X100	AMINOGLYCOSIDE ANTIBIOTIC	ADULT: IM, IV: 5MG/KG EVERY 8 HRS OR 7.5-MG/KG EVERY 12 HRS, PAEDIATRIC IM,IV: NEONATES INITIALLY 10MG/KG THEN 7.5MG/KG. OLDER INFANTS & CHILDREN AS ADULT OR AS DIRECTED BY PHYSICIAN
CEFIZOL <i>Cefazolin Sodium</i>	DRY POWDER FOR INJECTION VIAL X1-X10-X50-X100 VIALS 1G X10-X50-X100	BROAD SPECTRUM CEPHALOSPORIN ANTIBIOTIC	ADULTS: 500MG-1G EVERY 6-8 HOURS CHILDREN: 25-50MG/KG/DAY
CEFTRIX <i>Ceftriaxone Sodium</i>	DRY POWDER FOR INJECTION VIAL X1-X10-X50-X100 DRY POWDER FOR INJECTION VIAL X1-X10-X50-X100	BROAD SPECTRUM CEPHALOSPORIN, INFECTIONS DUE TO SUSCEPTIBLE MICROORGANISMS	1G - 2G DAILY
CEFUROXIME-SYNTO <i>Cefuroxime Sodium</i> <i>Cefuroxime axetil</i>	DRY POWDER FOR INJECTION VIAL X1-X10-X100 DRY POWDER FOR INJECTION VIAL X1-X10-X100 F.C. TABLETS 250MG X10-X20-X30-X40-X50 F.C. TABLETS 500MG X10-X20-X30-X40-X50	BROAD SPECTRUM SECOND GENERATION CEPHALOSPORIN	AS INDICATED BY PHYSICIAN ADULTS:250MG-500MG TWICE DAILY CHILDREN:250MG TWICE DAILY (who can swallow tablets whole)
COMYCIN <i>Lincomycin HCl</i>	AMPOULES 300MG/ML X5-X10-X100	ANTIBACTERIAL: LINCOMYCIN	ADULTS: IM: 600 MG EVERY 24 HOURS OR MORE OFTEN. IV: 600MG - 1G EVERY 8 to 12 HOURS. CHILDREN:10MG/KG/DAY
FLOXASYNT <i>Levofloxacin</i>	F.C. TABLETS 250MG x10-x20-x30-x50 F.C. TABLETS 500MG x10-x20-x30-x50	FLUOROQUINOLONE ANTIBIOTIC	250MG - 500MG ONCE OR TWICE A DAY
MOXARIN <i>Amoxicillin Trihydrate</i> <i>Amoxicillin Sodium</i>	CAPSULES 250MG X20-x100 (HOSPITAL) CAPSULES 500MG X16 (HOSPITAL) DRY POWDER FOR INJECTION VIAL X10-X50-X100 DRY POWDER FOR INJECTION VIAL X10-X50-X100	BROAD SPECTRUM PENICILLIN ANTIBIOTIC	ADULTS: 250-500MG EVERY 8 HOURS. IM: 250-500MG EVERY 8 HOURS. IV: 500MG-2G EVERY 4-6 HOURS. CHILDREN: 250-500MG EVERY 8 HOURS, IM: 35-100MG/KG/DAY, IV: 250MG/KG/DAY OR AS DIRECTED BY PHYSICIAN
OFLOXIN <i>Ofloxacin</i>	F.C. TABLETS 200MG X10 (HOSPITAL) F.C. TABLETS 400MG X10 (HOSPITAL)	FLUOROQUINOLONE ANTIBIOTIC, TREATMENT OF SIMPLE AND COMPLICATED UTI, RESPIRATORY, ABDOMINAL AND OTHER INFECTIONS	AS DIRECTED BY PHYSICIAN
PENEMER <i>Meropenem</i>	DRY POWDER FOR INJECTION VIAL X1-X10-X25-X50-X100 DRY POWDER FOR INJECTION VIAL X1-X10-X25-X50-X100	ANTIBACTERIAL, BETA-LACTAM, CARBAPENEM	AS DIRECTED BY PHYSICIAN
PIMAXEF <i>Cefepime HCl</i>	VIAL 500MG X1-X10-X50-X100 VIALS 1G X1-X10-X50-X100 VIALS 2G X1-X10-X50-X100	ANTIBACTERIAL: CEPHALOSPORIN	AS DIRECTED BY PHYSICIAN
RITHROCLAD <i>Clarithromycin</i>	F.C. TABLETS 250MG X14-X100 F.C. TABLETS 500MG X14-X100	MACROLIDE ANTIBIOTIC	ADULTS:250MG-500MG TWICE DAILY CHILDREN:7.5MG/KG BODY WEIGHT

PRODUCT CATALOGUE OF CODAL - SYNTO LTD



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
SULBAZON <i>Cefoperazone & sulbactam</i>	DRY POWDER FOR INJECTION VIAL 2G X1-X10-X25-X50-X100	ANTIBIOTIC	ADULTS: IM/IV: 1-2GRAMS EVERY 12 HOURS
SYNTOCEF <i>Cefoperazone Sodium</i>	DRY POWDER FOR INJECTION VIAL 1G X1-X10-X25 (HOSPITAL)	THIRD GENERATION BROAD SPECTRUM CEPHALOSPORIN ANTIBIOTIC	ADULTS: 1-2G EVERY TWELVE HOURS CHILDREN: 25-300MG/KG BODY-WT DAILY OR AS INDICATED BY PHYSICIAN
SYNTOCIL <i>Ampicillin Trihydrate</i> <i>Ampicillin Sodium</i>	CAPSULES 250MG X20-X100 (HOSPITAL) CAPSULES 500MG X10-X100 (HOSPITAL) DRY POWDER FOR INJECTION VIAL 250MG X10-X50-X100 DRY POWDER FOR INJECTION VIAL 500MG X10-X50-X100 DRY POWDER FOR INJECTION VIAL 1000MG X10-X50-X100	BROAD SPECTRUM PENICILLIN ANTIBIOTIC	ADULTS: 250-500MG EVERY 6 HOURS CHILDREN: 125-250MG EVERY 6 HOURS ADULTS: IM: 250-500MG EVERY 4-6 HOURS. IV: 500MG-1G EVERY 4-6 HOURS CHILDREN: 25-50MG/KG/DAY
SYNTOCLAV <i>Amoxicillin&Clavulanic</i>	TABLETS 250MG+125MG X16 (HOSPITAL) TABLETS 500MG+125MG X16 (HOSPITAL) POWDER FOR ORAL SUSPENSION (125MG+31.25MG)/5ML X60ML-X100ML POWDER FOR ORAL SUSPENSION (250MG+62.5MG)/5ML X60ML-X100ML TABLETS 1G X14 DRY POWDER FOR INJECTION VIAL 1.2G X1-X10-X25-X50-X100	ANTIBIOTIC WITH PROTECTION AGAINST BETA LACTAMASE HYDROLYSIS	AS DIRECTED BY PHYSICIAN
SYNTOCLAV BIS <i>Amoxicillin&clavulanic</i>	POWDER FOR ORAL SUSPENSION (400MG +57MG)/5ML x70ML-X140ML	ANTIBACTERIAL: PENICILLIN-BROAD SPECTRUM & BETA LACTAMASE INHIBITOR	TWICE A DAY
SYNTOCLOR <i>Cefaclor</i>	CAPSULES 250MG X16 (HOSPITAL) CAPSULES 500MG X16 (HOSPITAL)	SECOND GENERATION BROAD SPECTRUM CEPHALOSPORIN ANTIBIOTIC	AS INDICATED BY PHYSICIAN
SYNTOFLOX <i>Ciprofloxacin HCl</i>	TABLETS 250MG X10 (HOSPITAL) TABLETS 500MG X10 (HOSPITAL)	BROAD SPECTRUM QUINOLONE ANTI-BACTERIAL	AS DIRECTED BY PHYSICIAN
SYNTOLEXIN <i>Cefalexin Monohydrate</i>	CAPSULES 250MG X16-X100 (HOSPITAL) CAPSULES 500MG X16-X100 (HOSPITAL)	BROAD SPECTRUM CEPHALOSPORIN ANTIBIOTIC	ADULTS: 250MG-500MG EVERY 6 HOURS CHILDREN: 125MG-250MG EVERY 6 HOURS
SYNTOPRIM <i>Trimethoprim + Sulfamethoxazole</i>	TABLETS 480MG X20-X30-X100	ANTIBACTERIAL (BROAD SPECTRUM)	ADULTS:80+400-160+800MG 1-3 TIMES DAILY
SYNTOXIME <i>Cefotaxime Sodium</i>	DRY POWDER FOR INJECTION VIAL 1G X1-X10-X50-X100	BROAD SPECTRUM 3RD GENERATION CEPHALOSPORIN ANTIBIOTIC	1G EVERY 12 HOURS, IM OR IV
2E ANTIVIRAL AGENTS			
SYNTOVIR <i>Aciclovir</i> <i>Acyclovir</i>	TABLETS 200MG X10-X30 (HOSPITAL) TABLETS 400MG X10-X100 (HOSPITAL) TABLETS 800MG X10 (HOSPITAL) DRY POWDER FOR INJECTION VIAL 250MG X10-X100 DRY POWDER FOR INJECTION VIAL 500MG X10-X100	ANTIVIRAL TREATMENT OF HERPES SIMPLEX, GENITALIS & VIRAL INFECTIONS IN IMMUNOCOMPROMISED PATIENTS	DEPENDING ON CONDITION AND AS DIRECTED BY THE PHYSICIAN
2F ANTIFUNGAL AGENTS			
GYNOFLORAN <i>Fluconazole</i>	CAPSULES 50MG X7-X10 (HOSPITAL) CAPSULES 150MG X1-X10 (HOSPITAL)	ANTIFUNGAL	DEPENDING ON CONDITION: 50MG X 7 DAYS 150MG X 1 AS SINGLE DOSE OR AS DIRECTED BY THE PHYSICIAN



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
SYNTOFULVIN <i>Griseofulvin</i>	TABLETS 125MG X20-X100 (HOSPITAL) TABLETS 500MG X20-X100 (HOSPITAL)	ANTIFUNGAL	ADULTS: 500-1000MG DAILY PREFERABLY IN DIVIDED DOSES
2G ANTITUBERCULOUS AGENTS			
SYNTOREN <i>Rifampicin</i>	CAPSULES 300MG X8 (HOSPITAL)	MYCOBACTERIAL ANTIBIOTIC	ADULTS: 600MG ONCE OR TWICE DAILY



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
3 C.N.S AGENTS			
3 C.N.S AGENTS			
ALZEDEM <i>Memantine HCl</i>	F.C. TABLETS 5MG X7-X10-X14-X20-X28-X30-X56-X60-X100 F.C. TABLETS 10MG X7-X10-X14-X20-X28-X30-X56-X60-X100 F.C. TABLETS 15MG X7-X10-X14-X20-X28-X30-X56-X60-X100 F.C. TABLETS 20MG X7-X10-X14-X20-X28-X30-X56-X60-X100	OTHER ANTI-DEMENTIA DRUGS	5-20MG ONCE A DAY
AMANT <i>Bromazepam</i>	TABLETS 3MG X40 (HOSPITAL)	ANXIOLYTIC BENZODIAZEPINE PSYCHOSOMATIC DISORDERS	ADULTS: 1.5-9MG DAILY IN SINGLE (EVENING) OR DIVIDED DOSES MAXIMUM: 12MG 3 TIMES DAILY
AZEPIUM <i>Diazepam</i>	AMPOULES 10MG/2ML X10-X100	ANXIOLITIC	0,1 TO 0,2 MG/KG PER INJECTION. 1 TO 2 AMPOULES MAY BE ADMINISTERED DIRECTLY BY SLOW IM OR IV ROUTE. THIS DOSE MAY BE REPEATED UP TO 4 TIMES PER 24 HOURS, OR EVEN MORE IN INPATIENT CARE.
LAMOSYNT <i>Lamotrigine</i>	TABLETS 25MG X30 (HOSPITAL) TABLETS 50MG X30 (HOSPITAL) TABLETS 100MG X30 (HOSPITAL)	ANTIPILEPTIC	STARTING DOSE: 25MG MAINTENANCE DOSE: 100MG TO 200MG DAILY
LEVOSYNT <i>Levodopa + Carbidopa</i>	TABLETS 100MG + 10MG X20-X100 (HOSPITAL) TABLETS 250MG + 25MG X20-X100 (HOSPITAL)	ANTIPARKINSONIC	ADULTS: INITIALLY 100+10MG OR 100+25MG TDS. DOSAGE INCREASED GRADUALLY AS NEEDED AND TOLERATED
MEROPAN <i>Fluoxetine</i>	CAPSULES 20MG X10-X30-X100	ANTIDEPRESSANT	20-80MG DAILY DEPENDING ON SEVERITY OF SYMPTOMS AND THE KIND OF ILLNESS
RISPERIDONE-SYNTO <i>Risperidone</i>	TABLETS 0.5MG X20-X60-X100 TABLETS 1MG X20-X60-X100 TABLETS 2MG X20-X60-X100 TABLETS 3MG X20-X60-X100 TABLETS 4MG X20-X60-X100 TABLETS 6MG X20-X60-X100 TABLETS 8MG X20-X60-X100	ANTIPSYCHOTIC	USUAL DOSE: 1-6MG/DAY OR AS DIRECTED BY PHYSICIAN
SELEX <i>Selegiline HCl</i>	TABLETS 5MG X20 (HOSPITAL)	ANTIPARKINSONIC MAO B INHIBITOR	2 TABLETS DAILY AT BREAKFAST AND LUNCH AS MONOTHERAPY OR IN COMBINATION WITH LEVODOPA
SITALOM <i>Escitalopram</i>	F.C. TABLETS 5MG X7X10X14X20X28X30X56X60 F.C. TABLETS 10MG X7X10X14X20X28X30X56X60 F.C. TABLETS 15MG X7X10X14X20X28X30X56X60 F.C. TABLETS 20MG X7X10X14X20X28X30X56X60	ANTIDEPRESSANT: SELECTIVE SEROTONIN REUPTAKE INHIBITOR (SSRI)	AS DIRECTED BY THE PHYSICIAN
SULVORID <i>Levosulpiride</i>	TABLETS 25MG X20-X30-X60-X100 TABLETS 50MG X20-X30-X60-X100 TABLETS 100MG X20-X30-X60-X100	ANTIEMETIC AGENT; NEUROLEPTIC AGENT	AS DIRECTED BY PHYSICIAN



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
SYNTOPAR <i>Paroxetine</i>	TABLETS 10MG X20-X30-X60-X100 TABLETS 20MG X20-X30-X60-X100 TABLETS 30MG X20-X30-X60-X100 TABLETS 40MG X20-X30-X60-X100	SSRI; ANTIDEPRESSANT	10-50MG DAILY DEPENDING ON SEVERITY OF SYMPTOMS AND KIND OF ILLNESS
SYNTOPINE <i>Carbamazepine</i>	TABLETS 200MG X50 (HOSPITAL)	ANTIEPILEPTIC	200-400MG 2-3 TIMES DAILY
TRAZODONE SYNTO <i>Trazodone HCL</i>	TABLETS 50MG X30-X60 TABLETS 100MG X30-X60 TABLETS 150MG X30-X60	ANTIDEPRESSANT TRIAZOLOPYRIDINE	150MG-200MG/DAY IN DIVIDED DOSES MAX DOSAGE 600MG

NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
4 CARDIOVASCULAR/CEREBROVASCULAR SYSTEM			
4 CARDIOVASCULAR/CEREBROVASCULAR SYSTEM			
ACEPROTIN <i>Captopril</i>	TABLETS 25MG X20 (HOSPITAL) TABLETS 50MG X20 (HOSPITAL)	ACE INHIBITOR ALL FORMS OF HYPERTENSION AND HEART FAILURE	INITIALLY 12.5MG BID. MAY BE INCREASED AFTER 1 OR 2 WEEKS TO 25MG BID MAINTENANCE: 25 TO 100 MG BID-TID
ALBIGONE <i>Lisinopril</i>	TABLETS 5MG X30 (HOSPITAL) TABLETS 10MG X30 (HOSPITAL) TABLETS 20MG X20 (HOSPITAL)	ACE INHIBITOR, ANTIHYPERTENSIVE, C.H.F.	INITIALLY 5-10MG ONCE DAILY MAINTENANCE 10-40MG DAILY
ATENOLOL-SYNTO <i>Atenolol</i>	TABLETS 100MG x20-x30-x100	BETA BLOCKER ANTIHYPERTENSIVE	HYPERTENSION, ANGINA PECTORIS AND CARDIAC DYSRHYTHMIAS: 100MG DAILY
CARDAMLO <i>Amlodipine</i>	TABLETS 5MG X30-X50 TABLETS 10MG X30-X50	CALCIUM CHANNEL BLOCKER	5-10MG ONCE DAILY
ISTOPRIL <i>Enalapril Maleate</i>	TABLETS 5MG X20-X30-X100 TABLETS 10MG X20-X30-X100 TABLETS 20MG X30 (HOSPITAL)	ACE INHIBITOR, ANTIHYPERTENSIVE, C.H.F.	DEPENDING ON CONDITION: 2.5 to 20MG DAILY
LOVASYNT <i>Lovastatin</i>	TABLETS 20MG X30 (HOSPITAL)	ANTIHYPERLIPIDEMIC	10-80MG/DAY IN SINGLE OR TWO DIVIDED DOSES
PROSTAZOCIN <i>Doxazosin Mesilate</i>	TABLETS 1MG X20 (HOSPITAL) TABLETS 2MG X20 (HOSPITAL) TABLETS 4MG X20 (HOSPITAL)	A-1-ADRENERGIC ANTAGONIST, ANTIHYPERTENSIVE, BENIGN PROSTATIC HYPERPLASIA	1 TO 16MG/DAY
ROVASYN <i>Rosuvastatin</i>	F.C. TABLETS 5MG X14-X20-X28-X30-X56-X60-X84-X90-X100 F.C. TABLETS 10MG X14-X20-X28-X30-X56-X60-X84-X90-X100 F.C. TABLETS 20MG X14-X20-X28-X30-X56-X60-X84-X90-X100 F.C. TABLETS 40MG X14-X20-X28-X30-X56-X60-X84-X90-X100	ANTILIPEMIC AGENT: HMG COA REDUCTASE INHIBITOR (STATIN)	AS DIRECTED BY PHYSICIAN
SARTOVAN <i>Valsartan</i>	TABLETS 40MG X7-X14-X28-X30-X56-X60-X90-X98-X100-X 280 TABLETS 80MG X7-X14-X28-X30-X56-X60-X90-X98-X100-X 280 TABLETS 160MG X7-X14-X28-X30-X56-X60-X90-X98-X100-X 280	ANGIOTENSIN II RECEPTOR ANTAGONIST; CARDIOVASCULAR AGENT	40 to 160MG ORALLY ONCE OR TWICE DAILY; MAX 320MG DAILY
SOTAX <i>Sotalol HCl</i>	TABLETS 80MG X20-X50-X100	BETA BLOCKER ANTIARRHYTHMIC ANTIHYPERTENSIVE	INITIALLY: 80MG DAILY ONCE OR IN TWO DIVIDED DOSE MAINTENANCE: 160-320MG EVERY 12 HOURS
SPIRO <i>Spironolactone</i>	TABLETS 25MG X50 (HOSPITAL) TABLETS 100MG X20 (HOSPITAL)	DIURETIC	ADULTS: INITIALLY 100-400 DAILY MAINTENANCE 50-100MG DAILY
SYNTOSARTIN <i>Irbesartan</i>	TABLETS 75MG X14-X28-x30-X60-X100 TABLETS 150MG X14-X28-X30-X60-X100 TABLETS 300MG X14-X28-x30-X60-X100	ANGIOTENSIN -II ANTAGONIST; ANTIHYPERTENSIVE AGENT	75MG-300MG A DAY



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
SYNTOSARTIN-PLUS <i>Irbesartan&Hydrochlor thiazide</i>	F.C. TABLETS 150MG/12.5MG X14-X20-X28-X30-X56-X60-X84-X90-X100 F.C. TABLETS 300MG/12.5MG X14-X20-X28-X30-X56-X60-X84-X90-X100 F.C. TABLETS 300MG/25MG X14-X20-X28-X30-X56-X60-X84-X90-X100	ANGIOTENSIN -II ANTAGONIST; ANTIHYPERTENSIVE AGENT & DIURETIC AGENT: BENZOTHIADIAZIDE	AS DIRECTED BY PHYSICIAN



**NAME
COMPOSITION**

**FORM/STRENGTH/PACK
SIZE**

**THERAPEUTIC GROUP/
INDICATIONS**

**RECOMMENDED
DOSAGE**

5 ENDOCRINE DRUGS/STEROIDS

5 ENDOCRINE DRUGS/STEROIDS

FERTILAN

Clomifene Citrate

TABLETS 50MG X10-X30 (HOSPITAL)

INFERTILITY TREATMENT

ANOVLATORY STATES: 50MG DAILY FROM FIFTH DAY OF MENSTRUATION FOR 5 DAYS

PIRODAL

(SYNTOCRIPTINE)

Bromocriptine Mesilate

TABLETS 2.5MG X30 (HOSPITAL)

PROLACTIN INHIBITOR,
GROWTH HORMONE SECRETION
INHIBITOR IN ACROMEGALICS,
ANTIPARKINSONIC

1.25-50MG/DAY DEPENDING UPON INDICATION

TAMOXIFEN-SYNTO

Tamoxifen Citrate

TABLETS 10MG X30-X100 (HOSPITAL)
TABLETS 20MG X20 (HOSPITAL)

OESTROGEN ANTAGONIST
CYTOSTATIC
PROPHYLAXIS & TREATMENT OF
BREAST CANCER,
ANOVLATORY INFERTILITY
TREATMENT

ADULTS: 10MG BID TO BE DOUBLED IF NO RESPONSE WITHIN ONE MONTH (INFERTILITY: GIVEN ONLY DAYS 2-5 OF CYCLE)



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
6 ANTIRHEUMATIC/ANTI-INFLAMMATORY/ANALGESICS			
6 ANTIRHEUMATIC/ANTI-INFLAMMATORY/ANALGESICS			
ANALGISER <i>Paracetamol</i>	TABLETS 500MG X20 (HOSPITAL)	ANALGESIC-ANTIPYRETIC	ADULTS:500-1000MG 3-4 TIMES DAILY
NIMM <i>Nimesulide</i>	TABLETS 100MG X10-X20 (HOSPITAL)	ANALGESIC, ANTIRHEUMATIC ANTIPYRETIC	50-100MG TWICE DAILY. IN SERIOUS CONDITIONS UP TO 200MG TWICE DAILY.
OLOXICAM <i>Meloxicam</i>	TABLETS 15MG X10-X20-X30-X100	NSAID; ANTIINFLAMMATORY ANTIRHEUMATIC ANALGESIC	7.5MG-15MG ONCE A DAY WITH MEALS
ROFY <i>Tramadol HCl</i>	CAPSULES 50MG X10-X20 (HOSPITAL) AMPOULES 100MG/2ML X1-X5-X100	ANALGESIC	ADULTS & CHILDREN OVER 14 YEARS: 1 CAPSULE TDS-QDS MAXIMUM DOSAGE: 400MG/DAY INJ: 50-100MG OR AS DIRECTED BY PHYSICIAN
ROFY RETARD <i>Tramadol HCl</i>	TABLETS 100MG X10-X20-X30-X60-x100 TABLETS 150MG X10-X20-X30-X60-x100 TABLETS 200MG X10-X20-X30-X60-x100	ANALGESIC	INITIALY: 100MG ONCE DAILY MAX DAILY DOSE: 300MG
RUFAN <i>Ibuprofen</i>	TABLETS 200MG X30-X100 (HOSPITAL)	ANTIINFLAMMATORY ANTIRHEUMATIC ANALGESIC	ADULTS:600-1200MG DAILY IN 3-4 DIVIDED DOSES
TAKS <i>Diclofenac Sodium</i>	TABLETS 50MG X20-X30-X100 (HOSPITAL) AMPOULES 75MG/3ML X1X-10-X100	ANTIINFLAMMATORY ANTIRHEUMATIC ANALGESIC	ADULTS: 75-150MG/DAY IN 2-3 DIVIDED DOSES, IM: 1 AMP/ DAY, AND IN SEVERE CASES 2 INJ SEPARATED BY INTERVAL OF A FEW HOURS. CHILDREN: 2-3MG/KG BODYWT IN 2-3 DIVIDED DOSES/DAY



NAME
COMPOSITION

FORM/STRENGTH/PACK
SIZE

THERAPEUTIC GROUP/
INDICATIONS

RECOMMENDED
DOSAGE

8 ANTIDIABETICS

8 ANTIDIABETICS

PIRIGLIM

Glimepiride

TABLETS 1MG X30
TABLETS 2MG X30
TABLETS 3MG x30
TABLETS 4MG x30

ORAL ANTIDIABETIC AGENT:
SULFONYLUREA

USUALLY: 1-4MG PER DAY
MAX: 6MG PER DAY



NAME COMPOSITION	FORM/STRENGTH/PACK SIZE	THERAPEUTIC GROUP/ INDICATIONS	RECOMMENDED DOSAGE
9 MISCELLANEA			
9 MISCELLANEA			
BETA-SYNTO <i>Betahistine</i>	TABLETS 8MG X30-X50 TABLETS 16MG X30-X50 TABLETS 24MG X30-X50	AGONIST OF HISTAMINE; ANTIVERTIGO AGENT	INITIALY:16MG THREE TIMES DAILY MAINTENANCE: 24MG-48MG DAILY
CODALIS <i>Tadalafil</i>	F.C. TABLETS 5MG X2-X4-X10-X14-X28-x84 F.C. TABLETS 10MG X2-X4-X10-X14-X28-x84 F.C. TABLETS 20MG X2-X4-X10-X14-X28-x84	ERECTILE DYSFUNCTION; BPH; PULMONARY ARTERIAL HYPERTENSION	AS DIRECTED BY PHYSICIAN